BERNINA MODEL COMPARISON CHART

ALL SEWING MACHINES AT A GLANCE



Swiss Heritage
since 1893


BERNINA *made to create*

TABLE OF CONTENTS

General Machine Features	page 3
Sewing and Quilting	page 6
Embroidery	page 11
Standard Accessories	page 15













SEWING, QUILTING AND EMBROIDERING ALL MODEL COMPARISON CHART

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
GENERAL MACHINE FEATURES																
Space to the Right of the Needle More sewing and embroidery space to the right of the needle offers comfort and more maneuverability when stitching large and small projects.	356 mm (14")	254 mm (10")	254 mm (10")	254 mm (10")	254 mm (10")	215 mm (8.5")	215 mm / 8.5"	215 mm (8.5")	215 mm (8.5")	215 mm (8.5")	178 mm (7")	178 mm (7")	178 mm (7")	178 mm (7")	160 mm (6.3")	160 mm (6.3")
Workspace Height The extra height presents more space for quilts and spacious large projects and makes sewing easier in general.	127 mm (5")	127 mm (5")	127 mm (5")	127 mm (5")	127 mm (5")	109 mm (4.3")	109 mm (4,3")	109 mm (4.3")	109 mm (4.3")	109 mm (4.3")	109 mm (4.3")	109 mm (4.3")	109 mm (4.3")	109 mm (4.3")	109 mm (4.3")	109 mm (4.3")
Weight of the Machine	19.2 kg (42.3 lb)	14 kg (30.8 lb)	14 kg (30.8 lb)	14 kg (30.8 lb)	13.5 kg (29.8 lb)	11.5 kg (25.3 lb)	11,5 kg (25,3 lb)	11.5 kg (25.3 lb)	11.5 kg (25.3 lb)	11.5 kg (25.3 lb)	9.5 kg (20.9 lb)	9.5 kg (20.9 lb)	9.5 kg (20.9 lb)	9.5 kg (20.9 lb)	8.0 kg (17.6 lb)	8.0 kg (17.6 lb)
Weight of the Embroidery Module	6.8 kg (15 lb)	6.4 kg (14.1 lb)	6.4 kg (14.1 lb)	6.4 kg (14.1 lb)	6.4 kg (14.1 lb)	3.7 kg (6.6 lb)	3,7 kg (6,6 lb)	3.7 kg (6.6 lb)	3.7 kg (6.6 lb)	3.7 kg (6.6 lb)	–	–	–	–	–	–
Measurements (W x H x D)	675 x 420 x 245 mm (26.6 x 16.5 x 9.7")	520 x 355 x 215 mm (20.5 x 14.0 x 8.5")	520 x 355 x 215 mm (20.5 x 14.0 x 8.5")	520 x 355 x 215 mm (20.5 x 14.0 x 8.5")	520 x 355 x 215 mm (20.5 x 14.0 x 8.5")	450 x 330 x 200 mm (17.7 x 13.0 x 7.9")	450 x 330 x 200 mm (17,7 x 13,0 x 7,9")	450 x 330 x 200 mm (17.7 x 13.0 x 7.9")	450 x 330 x 200 mm (17.7 x 13.0 x 7.9")	450 x 330 x 200 mm (17.7 x 13.0 x 7.9")	423 x 330 x 200 mm (18.3 x 13.0 x 7.9")	423 x 330 x 200 mm (18.3 x 13.0 x 7.9")	423 x 330 x 200 mm (18.3 x 13.0 x 7.9")	423 x 330 x 200 mm (18.3 x 13.0 x 7.9")	385 x 323 x 177 mm (15.2 x 12.7 x 7.0")	385 x 323 x 177 mm (15.2 x 12.7 x 7.0")
Measurements incl. Module (W x H x D)	1175 x 420 x 635 mm (46.3 x 16.5 x 25.0")	950 x 355 x 630 mm (37.4 x 14.0 x 24.8")	950 x 355 x 630 mm (37.4 x 14.0 x 24.8")	950 x 355 x 630 mm (37.4 x 14.0 x 24.8")	950 x 355 x 630 mm (37.4 x 14.0 x 24.8")	750 x 330 x 450 mm (29.5 x 13.0 x 17.7")	750 x 330 x 450 mm (29,5 x 13,0 x 17,7")	750 x 330 x 450 mm (29.5 x 13.0 x 17.7")	750 x 330 x 450 mm (29.5 x 13.0 x 17.7")	750 x 330 x 450 mm (29.5 x 13.0 x 17.7")	–	–	–	–	–	–
Centrally Located Color Touch Screen Everything at eye level; it is clear and easy to use. Can be used with fingertip or touchpen and offers touch-scroll selection. Display and backround color can be customized and the screen brightness can be set according to your needs.	10,1"	7"	7"	7"	7"	4,3"	4,3"	4,3"	4,3"	4,3"	4,3"	4,3"	4,3"	4,3"	4.3"	4.3"
Multi Touch Gestures Move, resize, rotate and zoom for quick and easy design transformations.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
USB Mouse Compatible Connect a Mouse with a USB Type A or C to the machine and use with the Stitch Designer or Embroidery Editing for more precise control.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Adjustable Display Brightness Adjust the brightness of the display in the settings.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–
Help Center The Help Center includes a Quick Start, the Onboard Manual and the Consultant. It can also be accessed on your personal device (connected via WiFi) via QR codes.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
File Manager Save, name, copy, paste and move files in your Personal Folder. Receive additional information about designs before opening them in embroidery.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total Memory	8000 MB	256 MB	256 MB	256 MB	256 MB	256 MB	256 MB	256 MB	256 MB	256 MB	256 MB	256 MB	256 MB	256 MB	256 MB	256 MB

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Multi-function Knobs Easily accessible knobs for making stitch adjustments before and during sewing in .05 increments for smooth stitch transitions. Used in embroidery for composing and design alterations.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–
Spool Pin Equipped with either 2, 3 or 4 horizontal and vertical spool holders.	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
LED Sewing Light Bright illumination in the needle area and over the freearm. On some machines the brightness is adjustable.	90	30	30	30	30	16	12	12	12	12	8	8	8	8	6	6
Adjustable Light in Needle Area Separate adjustable brightness in needle area in regards to freearm, can be turned on or off.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Automatic Needle Threader Easy threading. The needle is threaded fully automatically at the touch of a button.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Semi-automatic Needle Threader Easy threading of the needle.	–	–	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Manual Thread Cutters Conveniently positioned thread cutters in the area of the bobbin case, the bobbin winder motor and the needle to cut off thread ends.	3	3	3	3	3	4	4	4	4	4	4	4	4	4	3	3
Camera View the needle area for the perfect placement of stitch patterns and embroidery designs.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BERNINA Pinpoint Laser Perfect placement for the perfect project. The BERNINA Pinpoint Laser marks your start and travel points as you sew and embroider. Feel the joy of precision and control.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WiFi Thanks to WiFi, the machine can be connected directly to the BERNINA Embroidery Software 9 for transferring embroidery designs - or to the BERNINA Stitchout App. Monitor the embroidery process and thread colors remotely. You will receive notifications in case your attention is needed.	✓	✓	–	–	–	–	–	–	–	–	-	–	–	–	–	–
BERNINA stitchprecision2 Technology The next generation BERNINA stitchprecision2 technology makes your sewing, quilting and embroidery experience quieter and more precise. Swiss innovations allow for enhanced stitch quality and up to 33% higher SDT embroidery speed.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total Stitch Control Permanent or temporary altering of length, width, needle position and other creative functions of all stitches - even while sewing.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BERNINA Adaptive Thread Tension Once the tension is set according to the fabric and thread used, the thread tension is constantly monitored and adjusted automatically, if needed, resulting in the finest stitching.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
BERNINA Dual Feed BERNINA Dual Feed ensures even feeding of hard-to-manage fabrics with beautiful results.	✓	✓	✓	–	–	✓	✓	–	–	–	–	–	–	–	–	–
Hook System The CB Hook is the traditional BERNINA mechanism that produces the legendary BERNINA stitch quality at 5.5 mm wide. The BERNINA Rotary Hook offers the same stitch quality at 9 mm stitch width and bobbin thread monitoring. The innovative BERNINA Hook maintains legendary BERNINA stitch quality at 5.5 mm and 9 mm stitch widths. An easy bobbin case insertion and large capacity bobbin make this ideal.	B	B	B	B	B	B	B	B	B	B	B	B	B	B	CB	CB
Jumbo Bobbin with 70 % more Capacity More thread on the bobbin ensures significantly fewer interruptions in sewing, which is particularly helpful for large quilts or when embroidering.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–
Bobbin Winding while Sewing/Embroidering Fast winding of the bobbin, even while sewing.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Powerful DC Motor Full power at all speeds provides for consistent stitching on multiple layers and heavy fabrics.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hammer Mode Built-in mechanism that drives the needle to stitch through more than 30 layers of fabric. The needle pulsates through the fabric to form the stitch.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BERNINA Free Hand System (FHS) Knee operated lever raises the presser foot, lowers the feed dog and releases the thread tension keeping your hands free for guiding the fabric and the height for the fabric passage increases so that even thick layers of fabric can be easily pushed under the presser foot.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–
Automatic Raise/Lower Feed Dog Automatically raise (or lower) the Feed Dog when switching between Sewing/Embroidery or Sewing/BSR.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Programmable BERNINA Foot Control Replace the back-kick function with securing stitches, Automatic Thread Cutter and raising the presser foot.	✓	✓	✓	–	–	✓	✓	–	–	–	✓	✓	–	–	–	–
BERNINA Foot Control Consistent control and a back-kick function to raise and lower the needle. One single push onto the front sews one stitch, one heel push makes the needle move up or down.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	–	–	–	–
Icon Description Key icons are listed with a text description.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Needle Stop Up/Down The needle can be programmed to stop in the raised (up) or lowered (down) position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Thread-up Command Push the needle up/down button to lower and raise the needle to bring the bobbin thread to the top of the fabric.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Automatic Presser Foot Lifter Convenient automatic presser foot lowering and raising. Press the foot control to lower the presser foot, and sewing or embroidering can be started. At the end of the sewing or embroidery process, the foot is raised automatically.	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–	–	–	–

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Automatic Thread Cutter The upper and lower threads are cut automatically or at the touch of a button. The top thread is carried to the back side of the fabric. Program 2 types of tie-offs.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–
Adjustable Presser Foot Pressure Adjust the presser foot pressure to eliminate skipped stitches and wavy seams on knits.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Needle Reminder To save the settings for the needle type used.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Lower Thread Sensor Warns when the bobbin thread runs low.	✓	✓	✓	✓	✓	✓	✓	–	–	✓	–	–	–	–	–	–
Upper Thread Sensor Indicates when the upper thread breaks or runs out.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Clock/Alarm Program alarm time and personal alarm message.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tutorial Access Tutorials for sewing, quilting and embroidery techniques. Also provides information about threading, needles and other including animation videos.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Quick Help Use the '?' to identify functions and stitches. Built-in animations lead you through processes and provide reminders.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
eco Mode The eco mode saves energy and provides a child safety lock.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Machine Type	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Retractable Feed Dog	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Automatic Stitch Plate Detection The stitch plate is automatically recognised and the machine will not sew if the wrong stitch plate is attached.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
USB Port	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

SEWING AND QUILTING																
Maximum Sewing Speed (stitches per minute) High speed with high performance.	1200 spm	1000 spm	1000 spm	1000 spm	–	1000 spm	1000 spm	1000 spm	1000 spm	–	900 spm	900 spm	900 spm	900 spm	900 spm	900 spm
Maximum Stitch Width The variable Stitch Width can be adjusted while sewing. The 9 mm maximum stitch width available on some models expands your design possibilities.	9 mm	9 mm	9 mm	5.5 mm	–	9 mm	9 mm	9 mm	5.5 mm	–	5.5 mm	9 mm	5.5 mm	5.5 mm	5.5 mm	5.5 mm
Maximum Stitch Length The variable stitch length provides a smooth blend of different lengths and can be adjusted while sewing.	6 mm	6 mm	6 mm	6 mm	–	6 mm	6 mm	6 mm	6 mm	–	6 mm	6 mm	6 mm	6 mm	5 mm	5 mm
Adjustable Needle Positions Multiple Needle Positions allow for very precise sewing. You can sew most patterns in any needle position.	11	11	11	11	–	11	11	11	11	–	11	11	11	11	11	11
Presser Foot Recommendation The display shows the recommended presser foot for the general use of the selected stitch.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Presser Foot Selection Signals to the machine how far the needle position is safe with the foot attached.	✓	✓	✓	✓	✓	✓	✓	–	–	✓	–	–	–	–	–	–
Presser Foot Library Access to an integrated library of current sewing feet and accessories.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Customizable Stitch Altering Area The Stitch Altering Area visualizes your sewing stitches and edits in real time. Zoom in and out, rotate the view and see the stitches magically come to life on the screen prior to sewing on your project.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Security Function for Needle and Stitch Plate Select respective needle type (single, double, triple, etc.) and stitch plate type. Automatically limits width function respectively.Prevents needle from hitting foot and/or stitch plate, avoiding damage.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Sideways Motion Multi-directional sewing expands your decorative stitch possibilities.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tapering To create and customize the tip at the beginning or end of a decorative stitch for unlimited possibilities.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Automatic Buttonhole / Length Measuring System The buttonhole length can be determined in advance. Buttonhole Foot with Slide #3A must be used. The same buttonhole length remains stored and can be sewn as often as desired until a new length, another buttonhole or another stitch is selected.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Manual Multi-step Buttonhole The length of the beads is manually determined when sewing. Bartack, eye and securing stitches are prepro-grammed. The individual steps can also be selected by scrolling via the arrow icons or by pressing the button «Quick Reverse».	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
On-Screen Buttonhole Measuring A button can be placed directly on the display. The size of the buttonhole is determined by turning the Multi-function Knobs.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Adjustable Buttonhole Slit Width Adjust the spacing of the beads appropriate for thick or heavy fabrics.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	–	–	–	–
Personal Memory To save individually modified stitches that can be called up again later. Stitches are retained until they are deleted from the personal program memory.	–	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Personal Folder Create folders, move, copy and paste files to organize your stitches and embroidery designs.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Import/Export Stitches via USB To import and export sewing stitches via a USB stick.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	–	–
Saving Settings of Stitch Patterns Change the factory stitch setting to personalize the stitch; remains until the default setting is restored.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	-	-	-

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Temporary Altered Stitch Memory Stitch settings are remembered during the sewing session. This saves time when repeating stitches in a project.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
History Function (most recently used stitch patterns) The last sewn stitches and their changes are recorded in a history menu and are retained even after the machine is switched off which makes separate writing down unnecessary. Stitches can be selected directly from «History».	24	15	15	15	–	–	–	–	–	–	–	–	–	–	–	–
Stitch Designer Create your own stitches or edit existing stitch patterns. 9 mm and Sideways Motion Stitches can be designed.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Creative Consultant Sewing Get reliable support for various applications and fabrics from the integrated Sewing Consultant. Makes suggestions regarding needles, presser foot, stabilizer etc.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Fit to Screen By tapping the icon, the entire stitch pattern becomes visible without the virtual presser foot.	✓	✓	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–
Swipe Immediate delete by selecting stitch in combination and sliding to the right or to the left. Great to use when trashcan not visible.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Drag & Drop Stitch patterns of a combination can be positioned in relation to each other as desired using Drag & Drop or the Multi-function Knobs.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pattern Repeat To program the machine to stop at the end of a programmed number of design repetitions.	1-99	1-99	1-99	1-99	–	1-99	1-9	1-9	1-9	–	1-9	1-9	1-9	1-9	1-9	1-9
Pattern Begin This function facilitates the sewing start at the beginning of the design, no matter where it was stopped before.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Pattern End No more half-finished designs; the machine stops when the design is finished. Programmable models additionally feature securing and cutting.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Mirror-image Function Horizontal or vertical mirroring of the stitch expands the design possibilities.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Elongation Extend stitch pattern length in 1 % or 100 % steps for decorative effects. Shortest length is 10 %; maximum length is 1000 %.	–	✓	✓	✓	–	✓	✓	–	–	–	✓	✓	–	–	–	–
Stop, Secure or Cut in Combi Mode Set a stop, a cut or secure with 4 stitches in a combination of stitch patterns.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Duplicate Combinaton Duplicate single, multiple or all stitch patterns in combination mode.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Unify Stitch Width and Length in Combi Mode Set the width or length of all stitch patterns in a combination to match the widest or longest stitch pattern.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Basting Stitch To baste seams, hems and quilts. Maximum basting stitch length provided by activating the long stitch function (on some models).	Basting Stitch #21	Basting Stitch #21	Basting Stitch #21	Manual Basting Stitch #30	–	Manual Basting Stitch #30	Manueller Heftstich #30	Manual Basting Stitch #30	Manual Basting Stitch #30	–	Manual Basting Stitch #30	Manual Basting Stitch #30	Manual Basting Stitch #30	Manual Basting Stitch #30	Manual Basting Stitch #30	Manual Basting Stitch #30
Long Stitch Only every second stitch is sewn. Helpful for practical stitches but also for decorative purposes.	✓	✓	✓	–	–	✓	–	–	–	–	–	–	–	–	–	–
Jumbo Stitch Resize stitch patterns including monograms from 25 to 500 % depending on the design of the stitch.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Triple Stitch Stitches are sewn 3 times (forward-back-forward) for a more distinct and bolder look.	✓	✓	✓	✓	–	✓	✓	–	–	–	–	–	–	–	–	–
Undo/Redo Undo and redo steps in sewing and in stitch designer.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Distortion Distort Stitch Patterns left/right and forward/backward in 0.01 mm increments for decorative effects.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quick Reverse Sewing As long as the button or the lever is pressed, the stitch is sewn in reverse. Ideal for quickly securing the beginning and end of the seam.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Continous Reverse Reverse sewing at the touch of a button.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Backstepping The stitch pattern is sewn precisely backwards stitch by stitch.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	–	–	–	–	–	–
Securing Stitches Activate or deactivate securing stitches at sewing start.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Programmable Securing Function Programming the "Securing" button either with securing stitches in place or with running stitches.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	–	–	–
BSR Enabled Usability of the BERNINA Stitch Regulator (BSR) on the machine.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	–	–	–
BERNINA Integrated Stitch Regulator (BISR) The built-in stitch regulator works with the BISR Stitch Plate and all BERNINA freehand quilting presser feet and accessories.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Adjustable Minimum Speed in BSR 1 Mode	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Adjustable Stitch Length (SPI) in BSR Mode	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BSR Mode 3 BSR 3 Mode is used for free-motion basting around a design. It has 2 different stitch lengths: SPI2 and SPI4.	✓	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–
KickStart Function The KickStart Function allows to quilt in a continuous sewing mode with the BERNINA Stitchregulation (BISR/BSR) without having to push the foot control.	✓	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Start/Stop Button (stitching without foot control) As an alternative to the traditional foot control, power the machine using the Start/Stop button and regulate the speed with the Slide Speed Control.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hopper Mechanism The vertical spring presses the sole to the fabric, preventing the fabric from pulling up with the needle. The result is a neat consistent stitch pattern.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Presser Foot Hover Function Activate Hover with a quick tap of the Start/Stop button to reposition the project. Program Hover to work with the Needle Stop Down function to Pivot.	✓	✓	✓	✓	–	✓	✓	–	–	–	–	–	–	–	–	–
Freearm Sewing The slim freearm is perfect for hemming small tubular pieces, such as baby clothes, pant legs, etc.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Monograms (with sideways motion only)	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total Number of Sewing Stitch Patterns (incl. alphabets)	2927	2040	1809	1255	–	1774	1450	1048	1048	–	994	994	840	650	625	419
Alphabets/Monograms	16/2	9/1	9	6	–	9	8	5	5	–	5	5	4	3	3	2
Decorative Stitches	957	700	500	350	–	499	450	300	300	–	250	250	200	150	125	75
Button Sew-on Program	1	1	1	1	–	1	1	1	1	–	1	1	1	1	1	1
Buttonholes/Eyelets	17/2	16/2	16/2	13/2	–	16/2	14/2	12/2	12/2	–	9/2	9/2	8/2	7/2	8	6
Practical Stitches	40	38	38	32	–	38	35	30	30	–	29	29	29	29	29	29
Sideways-Motion Stitches	272	139	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quilting Stitches	124	70	74	29	–	60	74	43	45	–	28	28	41	14	15	14
Tassel/Tapering/Banner Stitches Applications for unlimited design possibilities.	0/44/36	0/28/30	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darning Programs	2	2	2	2	–	2	2	2	2	–	2	2	2	2	2	2
Balance Setting Balance is used to balance forward and reverse stitches so that the stitch formation can be adjusted where necessary to suit the material.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Memory/Stitch Combination When opening combinations of stitch patterns they open directly in Combi Mode.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
EMBROIDERY																
Maximum Embroidery Speed (Stitches per minute) High speeds allow the project to be completed more quickly.	1000 spm	1000 spm	1000 spm	1000 spm	1000 spm	1000 spm	1000 spm	1000 spm	1000 spm	1000 spm	–	–	–	–	–	–
Embroidery Area Large embroidery fields allow for larger embroidery projects.	410 x 305 mm (16.1 x 12")	400 x 210 mm (15.7 x 8.3")	400 x 210 mm (15.7 x 8.3")	400 x 210 mm (15.7 x 8.3")	400 x 210 mm (15.7 x 8.3")	400 x 150 mm (15.7 x 5.9")	400 x 150 mm (15.7 x 5.9")	400 x 150 mm (15.7 x 5.9")	400 x 150 mm (15.7 x 5.9")	400 x 150 mm (15.7 x 5.9")	–	–	–	–	–	–
BERNINA Placement Scanner Scan and preview hooped fabric in embroidery for perfect placement of designs.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Freearm Embroidery Easy freearm embroidery with all embroidery hoops without additional tools. For embroidering tubular items such as pant legs, t-shirts, onesies, etc.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Built-in Embroidery Designs	879	500	275	250	320	275	250	50	50	275	–	–	–	–	–	–
Embroidery Alphabets	24	25	8	6	18	8	7	4	4	8	–	–	–	–	–	–
Customizable Quilt Designs (.bqm files) Easily customize quilt designs, with unlimited scaling and setting of stitches per inch.	206	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–
On-screen Editing of Designs Easy and quick editing of embroidery designs right on the touchscreen.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Design Altering Area Zoom in/out and pan using touch gestures. Show background color or scanned fabric, turn Grid on/off.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Duplicate/Add Designs Quick duplication of an embroidery design. Using Add, designs and lettering can be combined on the screen.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Change Design Size Proportionally To zoom designs in or out, proportionally on the screen. Enlarging/ reducing within a range of +/- 20% gives the best results. Beyond this range, embroidery designs should be tested first.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Change Design Size Non-Proportionally To alter the height and width separately. The best results are achieved when increasing or decreasing the values within a range of +/- 20%. Beyond this range, embroidery designs should be tested first.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Move, Rotate, and Mirror To relocate designs by Drag & Drop or by using the Multi-function Knobs; rotation possible in 1-degree increments. Mirroring the embroidery designs for optimal placement on projects.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Align/Distribute Embroidery Designs Align embroidery design horizontally or vertically.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Endless Embroidery Perfect for embroidered borders that are longer than the hoop. Stitched reference marks and on-screen animations ensure precise re-alignment during rehooping.	✓	✓	–	–	✓	✓	–	–	–	✓	–	–	–	–	–	–

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Shape Designer Arrange designs including imported stitches into formations such as rectangles, circles, hearts, stars, arcs and more to expand your creativity.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Color Wheel Quickly change the colorway of your design on-screen to get an impression with other color design. New colors are assigned to the current thread library.	✓	✓	–	–	✓	✓	–	–	–	✓	–	–	–	–	–	–
QWERTY Keyboard Display of the QWERTY keyboard in embroidery mode and in Personal Settings for easy text input.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Customizable Lettering Recalculated stitches with resizing. QWERTY keyboard, multi-line and justification, edit lettering after creation. Adjust stitch properties (density, pull compensation, satin value).	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WordArt Create lettering with curved baselines. Adjust the letter spacing to achieve the best look.	✓	✓	✓	–	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Multi-line Lettering and Align Function Entry of multi-line texts via the Enter key. Increase and decrease spacing between letters, align to the right, to the left, to the center and change spacing between lines.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drag & Drop Simple Drag & Drop allows for easy positioning of embroidery designs.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Virtual Positioning Place every design to an exact stitch and see the visualization in the hoop on the screen.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Absolute Check Design Positioning Design placement tool – stitch by stitch. Check individual stitch locations for precise placement on the project from the Edit screen. The needle moves to that location in the hoop.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
4-Point Placement with Morphing The 4-Point Placement function allows you to morph your designs to precisely suit your project. Morph or Fit is available.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2-Point Placement For easy positioning and alignment to place embroidery designs accurately. Rotate and align designs even when the project is crooked. Possibility of grid point or free point positioning.	✓	✓	✓	✓	✓	✓	–	–	–	✓	–	–	–	–	–	–
Lock Scaling Prevents the size of the embroidery design from being changed while being positioned.	✓	✓	✓	✓	✓	–	–	–	–	–	–	–	–	–	–	–
Check Design Size Tool for placing designs. Check the embroidery design size. The center of the pattern can also be displayed.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Group/Ungroup Objects can be easily grouped and edited at the same time. Depending on the design, it can be split using the ungroup function in order to edit or delete individual parts.	✓	✓	✓	✓	✓	✓	–	–	–	✓	–	–	–	–	–	–

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Rearrange Designs Change the stitching order of designs by changing the order of the layers.	✓	✓	✓	✓	✓	✓	–	–	–	✓	–	–	–	–	–	–
Undo/Redo Undo and redo steps when on-screen editing.	✓	✓	–	–	✓	✓	–	–	–	✓	–	–	–	–	–	–
Adjust Stitch Density To alter the stitch density to adapt the embroidery design to the different fabrics.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Satin Value for Lettering Select a setting where the satin stitch will convert to step stitch for a better result.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Change Stitch Type To alter a satin stitch to a fill stitch to minimize long stitches that can become tangled.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Change Thread Brand To quickly change the color and/or brand of the thread on the screen, in order to conform with the project.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Basting Different basting stitches can be added before embroidering. Options to choose between basting stitch around the embroidery design or along the inner hoop.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Margin Spacing in Basting Set the distance between the embroidery design and the basting stitch.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Color Resequence Several identical colors of an embroidery design are combined into one color, keeping the number of color changes to a minimum. Saves time.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Stitch Design as Single/Multi-Color To embroider a design in one color without interruption or as a multicolored design.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Personal Memory for Saving Embroidery Designs Your own combinations, modified embroidery designs or external designs can be saved.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Programmable Jump Stitch Cutting Set any length of jump stitches to be cut and eliminate manual cutting.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Smart Secure Missing tie-on/off stitches are added automatically if none were programmed.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Invisible Secure Improved sew-on and securing stitches that are completely invisible under the embroidery design.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Centering the Embroidery Design The non-centered positioning of the design can be saved on the machine and the position of the design in the hoop is imported as defined in the BERNINA Embroidery Software.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Thread Away Mode An automatic, quick movement of the embroidery hoop ensures that the thread ends are pulled to the wrong side of the project. To be switched on or off as desired, depending on the design.	✓	✓	✓	✓	✓	✓	✓	–	–	✓	–	–	–	–	–	–

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Switch Unit of Measurement To display the size of the embroidery design and the hoop in inches or millimeters.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Creative Consultant Embroidery Get reliable support for various applications and fabrics from the integrated Embroidery Consultant. Makes suggestions regarding needles, presser foot, stabilizer etc.	✓	✓	–	✓	✓	✓	–	–	–	✓	–	–	–	–	–	–
Embroider Sewing Stitches Increase accuracy by embroidering sewing stitches, including buttonholes. Access sewing stitches from the integrated folder or import altered sewing stitches from sewing.	✓	✓	–	–	–	✓	–	–	–	–	–	–	–	–	–	–
Multi-format Design Compatible No need to convert. Reads EXP, DST, PES, PEC, JEF, PCS, SEW, XXX.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
BQM Format Reading Unlimited scaling of quilt designs in BQM format ensure perfect quilting result.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Customizable Quilt Design Format Compatible	BQM, HQF, PAT, PLT, QLI, TAP	BQM	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Adjustable Stitch Length (SPI) for Customizable Quilt Designs Changing the stitch length (numbers of stitches per inch).	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Start and Stop Editing Indicate the start and stop of an embroidery design. Match two or more designs to be combined as a design or border. Flip the start and stop of Customizable Quilt Designs.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Design Transfer to/from BERNINA Embroidery Software 9 via WiFi WiFi connects the machine directly to BERNINA Embroidery Software 9 to transfer embroidery designs.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embroidery Design Import/Export via USB Interface Enjoy rapid and direct connectivity for design transfer and updates.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Automatic Hoop Recognition	✓	✓	✓	✓	✓	–	–	–	–	–	–	–	–	–	–	–
Embroidery Stitchout Summary The Embroidery Stitchout Summary allows the user to adjust the most commonly used embroidery settings.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
View Stitch-out Time, Thread Colors, Size, Stitches Design details at a glance.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
BERNINA Stitchout App Compatible Remotely monitor the embroidery process and thread colors. You'll get notifications when your attention is needed.	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embroidery Sequence Control This function helps to reposition the embroidery position after a thread breakage. You can move forward or backward stitch-by-stitch or in steps of 50.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Position Recall The last embroidered stitch is always saved so that embroidery can be resumed at exactly the same point in the project in case of a power failure.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
CutWork Tool Compatible The optionally available BERNINA CutWork Tool opens up many more creative options. It can be used to cut out appliqué fabrics or multiple layers of fabric for patchwork or to embroider CutWork designs.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Jumbo Hoop Compatibility	✓	✓	✓	✓	✓	–	–	–	–	–	–	–	–	–	–	–
Maxi Hoop Compatibility	✓	✓	✓	✓	✓	–	–	–	–	–	–	–	–	–	–	–
Mega Hoop Compatibility	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Midi Hoop Compatibility	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Medium Clamp Embroidery Hoop Compatibility	✓	✓	✓	✓	✓	–	–	–	–	–	–	–	–	–	–	–
Small Clamp Embroidery Hoop Compatibility	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
Large Freearm Embroidery Hoop Compatibility	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–

STANDARD ACCESSORIES																
Embroidery Module XL with Smart Drive Technology (SDT) Enhanced stitch quality, smoother and quieter movement and up to 55% higher embroidery speed.	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embroidery Module L with Smart Drive Technology (SDT) Enhanced stitch quality, smoother and quieter movement and up to 55 % higher embroidery speed.	–	✓	–	–	✓	–	–	–	–	–	–	–	–	–	–	–
Embroidery Module M with Smart Drive Technology (SDT) Enhanced stitch quality, smoother and quieter movement.	–	–	–	–	–	✓	–	–	–	✓	–	–	–	–	–	–
BERNINA Precision Presser Feet/Soles Included	11	11	7	6	1	9	7	5	5	1	5	5	6	5	6	5
Reverse Pattern Foot/Sole #1	–	–	–	✓	–	–	–	–	✓	–	✓	–	✓	✓	✓	✓
Reverse Pattern Foot #1C	✓	✓	✓	–	–	✓	✓	✓	–	–	–	✓	–	–	–	–
Reverse Pattern Foot #1D	✓	✓	✓	–	–	✓	✓	–	–	–	–	–	–	–	–	–
Overlock Foot/Sole #2	–	–	–	–	–	–	–	–	✓	–	✓	–	✓	✓	✓	✓
Overlock Foot #2A	✓	✓	–	–	–	✓	✓	✓	–	–	–	✓	–	–	–	–
Buttonhole Foot/Sole #3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	✓
Buttonhole Foot with Slide #3A	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	–
Buttonhole Foot #3C	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Zipper Foot/Sole #4	–	–	–	✓	–	–	–	✓	✓	–	✓	✓	✓	✓	✓	✓
Zipper Foot #4D	✓	✓	✓	–	–	✓	✓	–	–	–	–	–	–	–	–	–

Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Blindstitch Foot #5	✓	✓	–	–	–	✓	–	–	–	–	✓	✓	✓	✓	✓	✓
Jeans Foot/Sole #8	–	–	–	✓	–	–	–	–	–	–	–	–	–	–	–	–
Jeans Foot #8D	–	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Button Sew-on Foot #18	✓	–	–	–	–	–	–	–	–	–	–	–	–	–		
Open Embroidery Foot/Sole #20	–	–	–	✓	–	–	–	–	✓	–	–	–	–	–	✓	–
Open Embroidery Foot #20C	✓	✓	✓	–	–	✓	✓	✓	–	–	–	–	–	–	–	–
Embroidery Foot #26	–	–	–	–	✓	✓	–	–	–	✓	–	–	–	–	–	–
Embroidery Foot #26L	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Patchwork Foot/Sole #37	–	–	–	–	–	–	–	–	–	–	–	–	✓	–	–	–
BERNINA Stitch Regulator (BSR) #42 The patented BERNINA Stitch Regulator (BSR) provides consistent free-motion stitching even at high speeds. Straight stitch and zigzag are available.	–	✓	✓	–	–	✓	–	–	–	–	–	–	–	–	–	–
Sideways Motion Foot #40C	✓	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Walking Foot #50	–	–	–	✓	–	–	–	–	–	–	–	–	–	–	–	–
Snap-on Shank #78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	✓	✓
Patchwork Foot #97D	–	–	✓	–	–	–	✓	–	–	–	–	–	–	–	–	–
Straight/CutWork Stitch Plate	✓	✓	✓	✓	–	✓	✓	✓	✓	–	–	–	–	–	–	–
5.5 mm BSR Stitch Plate with Sensor	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Slide-on Table Attaching the freearm slide-on table increases your sewing area, making it significantly easier to sew large projects.	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓
Knee Lever/Free Hand System (FHS)	✓	✓	✓	✓	–	✓	✓	✓	✓	–	✓	✓	✓	–	✓	–
Standard Embroidery Hoops Included	4	3	–	–	3	2	–	–	–	2	–	–	–	–	–	–
Giant Hoop with Template (410 × 305 mm / 6,1 × 12")	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embroidery Hoop Large Oval with Template (255 × 145 mm / 10 × 5,7")	✓	✓	–	–	✓	✓	–	–	–	✓	–	–	–	–	–	–
Embroidery Hoop Medium Oval with Template (130 × 100 mm / 5,1 × 3.9")	✓	✓	–	–	✓	✓	–	–	–	✓	–	–	–	–	–	–
Embroidery Hoop Small with Template (72 × 50 mm / 2,8 × 2")	✓	✓	–	–	✓	–	–	–	–	–	–	–	–	–	–	–
High Thread Tension Bobbin Case (HTTBC) This bobbin case with high thread tension has been developed to optimize embroidery quality.	✓	–	–	–	✓	–	–	–	–	✓	–	–	–	–	–	–
USB Stick	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Multiple Spool Holder	–	–	–	–	✓	–	–	–	–	–	–	–	–	–	–	–


Model	B 990	B 790 PRO	B 770 QE PLUS	B 735	B 700	B 590	B 570 QE	B 540	B 535	B 500	B 485	B 480	B 475 QE	B 435	B 335 (Gen. 2)	B 325 (Gen. 2)
Dust Cover	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dust Cover Module	✓	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accessory Box	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–	–	–	–
Accessory Bag	–	–	–	–	–	–	–	–	–	–	–	–	✓	✓	✓	✓

GET “INSPIRATION“ ONLINE!


Find all sorts of great sewing ideas at inspiration.bernina.com!

There, you can find great patterns and instructions for women‘s and children‘s fashion as well as accessories and home decorations to download. The magazine is now also available as an e-magazine! Visit us and sign up for the newsletter to make sure you don’t miss anything !

Issues available as an e-magazine



Individual patterns



LOOKING FOR
A NEW SEWING
PROJECT?

inspiration.bernina.com

© 2025 BERNINA International 2025-02 EN